CKO O CyberL

SMART KEY

CYBERKEY Blue 3

Improved, low profile button to prevent accidental Bluetooth activation. Designed for a mobile workforce. With Bluetooth 5.0, the CyberKey Blue 3 improves speed, connection range, and battery life.



Improve Productivity

Easily update access permissions anywhere with a Bluetooth enabled phone or device.



Ultimate Flexibility

CyberKey Blue 3 has a customizable permissions schedule with the ability to store a list of up to 12,000 locks.



Charge via Micro-USB

CyberKey Blue 3 has a micro-USB port for convenient charging, in the office or on-the-go. It doubles as a communication port.

- » Cache access permissions and delay activation until the user arrives on site. Works in conjunction with CyberLock and FlashLock access points.
- » Bluetooth 5.0 is easily activated with the push of a button, allowing users to update access permissions on-the-go.
- » Hardwiring the lock is not required when using the CyberKey Blue 3. The key's battery provides power for a CyberLock's electronics.



CyberKey Blue 3

Part number: CK-BLUE3

CAW	Version 9.3 or newer
Enterprise	V
Basic	



The CyberKey Blue 3 is an electronic key used to operate CyberLock cylinders and FlashLock access points. It has memory that contains encrypted access codes, a list of locks it may access, schedules of authorized dates and times it may access locks, and a begin-end date range during which the key will operate. The battery from a CyberKey energizes the electronics within a CyberLock cylinder.

Bluetooth 5.0 is activated with the push of a button and allows users to update access permissions on-the-go using an Android or iOS app. CyberKey Blue 3 has a convenient micro-USB port for charging and communication.

Specifications

Physical Fiberglass reinforced nylon, replaceable brass tip

Operating Temperatures 32° to 122° F, 0° to 50° C

Dimensions 3.22" L x 0.65" W x 1.63" H (81.8 mm x 16.5 mm x 41.4 mm)

Weight 1.31 oz (37 g)

Power Rechargeable lithium ion polymer

Visual Indicators Red and blue LED indicator lights top, bottom, and back

Audio Indicator Embedded speaker

Memory 4 MB for up to 12,000 audit trail records and 3,300 lock list or

12,000 audit trail records and 12,000 lock list with optional lock list expansion SEM

Compatible Communicators ValidiKey 2 Plus vault and station, ValidiKey 20 vault, USB Station with CyberLink 2, Encoder 10,

CyberKey Web Authoriser Hub 2, Flex II Keyports, and any smartphone running the CyberAudit Link

mobile app


Recharging Via the key tip or micro USB port

Communication Infrared, Bluetooth 5.0, micro-USB port

Update the key using the CyberAudit Link mobile app anywhere there is Internet access **Remote Updates**

Activation or Deactivation Via the mobile app, with or without Internet access

RoHS Compliant



Dimensions in inches [mm] Drawing not to scale

